2017 03




VenusEye金睛 inside

. 3
. “ ” 4
. 6
3.1 6
3.2 7
3.3 8
. APT 9
4.1 APT 9
4.2 APT 10

VenusEye

“ ”

DDOS



“ UPS-Delivery ” JS

VenusEye **Kovter**

Locky

Struts2 S2-045 **CVE-2017-5638**

APT


开机启动 [1]
安装自启动项
危险等级
通过动态库判断VirtualBox沙箱环境
危险等级
尝试通过动态库判断沙箱环境
危险等级
通过动态库判断Sunbelt沙箱环境
危险等级
通过特定文件检测VirtualBox沙箱环境
危险等级
通过注册表判断VMware沙箱环境
危险等级
通过特定文件判断VPC沙箱环境
危险等级
进程入侵 [3]
尝试读取系统进程内存
危险等级
尝试创建傀儡进程
危险等级
PID
进程名
详细信息
C:\Documents and Setting
117b1564a6de171ef.exe
隐蔽信道 [4]
尝试连接某个服务器
危险等级
可疑地址：185.117.72.90:80
开机启动 [1]
反调试 [0]
威胁行为 [4]
危险等级
危险等级
危险等级
尝试执行可疑命
尝试删除自身
调用系统进程删
尝试移动文件
毒木马 [1]
准确报警Locky家族信息

Kovter Locky



■

3.1

“ UPS-Delivery ”


JS “ ”



3.2


Kovter

Kovter XMLHTTP



Locky

(1)



(2) UiUMpOyH hDUZBz

```
451 function UiUMpOyH(){return iKf+MQz+EmP+iBA+vQA+Jlf+Mzj+vjU+GnL+Kkf+rJH+lir+OFQ+KAC+JwF+Uh
452
453
454
455
456 ZOkbcV=hDUZBz(UiUMpOyH());
457 function kRQTifWoe() {return ""};
458 var QHjDI='Scripting.FileSystemObjectScripting.FileSystemObjectScripting.FileSystemObject
459 function IQCZtUn(){return '.j'+'s';}function nICRXxKHd(JrGobvgxGFf){return JhMdXLuVPo(JrG
```

(3) js js



(4) js http://look*.top/11.exe 30459.exe 70684.exe

(5) WMI

```
kSiTVRYUsr(gxgwFoFJF,MykNLVr);
var dOBpdqj = GetObject('winmgmts:{impersonationLevel=impersonate}').ExecQuery('Select * from Win32_Process Where Name = \''+PGmNKAhqmZ+'\'');
if ( dOBpdqj.Count >= 11-10 ){break;}
} catch(e) {}
```

3.3

Kovter

Kovter


Locky

Locky

“ ” (Great Ennead) osiris

Locky HTTP

AES



. APT

4.1 APT

APT

APT

H-worm

APT

APT APT

0-day

4.2 APT

APT

APT

APT

0-day

ROP API

Shell code APT